




Figure 13.3. Distribution of the main stratigraphic units of the Damara Supergroup.

Geological Map
Northern Namibia
with Carbonate
Outcrops located
within light blue
areas



Stratigraphy





	CERTAMO	1	GEOLOGICAL SOCIETY		Soul and grove, valvy deposits to beauting		mesons deemle nasie	
LEGEN)		- 1 JUL 2002		Analysis for the behavior and annihilated and and page and an annihilated anni	100	Non-persons sandannes, complementato, quertoria	
Hydrogeology and groundwater potential of rock bodies				Cramwidabiti ani-crandina are migrae,	PERSON			
PICCADILLY LONDON WIJ 0BG				locally solvetic with scattered because collectes		Wester and others and prompts		
	High potential		Moderate potential		Calcience		Metamorphic moss, including quantum and months bands	
Fractured, fissured or karstified aquifers				Scrabilizar	1965	Meaningle rods, acades parties and route sade, with purity orbidos.		
	High potential		Moderate potential		Stat, nutrimo selezae	THE STATE OF	Grantle, gration only weapon rouge	
Rock bodies with little groundwater potential								
	Generally low potential; locally moderate potential Véry low and limited potential			Topography, hydrology and groundwater features				
				Topography and (Topography and Geslagy			
Main rock type	es				Balanastannian		Franciscophysis	
Surface cover depo					Regrost tourday	-	Remai	
[61545]	Dune sand		Calcrete		boundary of Basic & Conservation group	¥ == -	Free lig	
12020000					Brandary of gestogissharit		Otolowi or settlement	
main rock type of ny	ydrogeological units Sand and gravel, valley deposits saltuviumi		Limessone, dolomite, marble		Fast	*	Milesely	
				Hydrology				
	Unconsolidated to semi-consolidated sand and gravel, locally calcrete		Non-porous sandstone, conglomerate, quantitle	~~~	Phar (morne)	-	Office property)	
	Unconsolidated to semi-consolicated sand and gravel,				Basi (standardardar)		SWIFU it is (prepare)	
	orally calcrete, with scattered bedrock outcrops	125.00.00	Volcaric rocks (Karoo and younger)	- 467	H v2* 1035]	-	UskaTRaserva (
	Calcrete		Melamorphic rocks, including quartrile and marble bands		femaley or satther embase		Pan	
	Matamorphic rooks, including quartote and markle bands.				Groundwater features			
	Sandstone	ELLE	with granite intrusions	0	Spring		United assess and the second and the second assessment of the second and the second assessment of the second assessment o	
	Shale, mudstane, sitstone	11111	Grande, guess, old volcanic rocks		Danie sping		Little of area of auto-area as promoted to	
				211	Bands to promote the machine prompt		favo of colors propropage	
Topography, hydrology and groundwater features				-	Printary for dealer	11/2	Annual tree fresh formowds, mother	
Topography and Ge	ology			*******	Danikon data	5 —I	tine (Hetropringias emasoagus	
	National boundary		Road tarred/gravel					
	Regional boundary	-	Raircad	Water use and water	or management features Well traditional instacts			
				1,3			Caral	
	Boundary of Nature Conservation area		Power line		South Day Nilas-eating		Water panel in a	
				0	Groundwater specify sprace	NE .	Care with capacity of received: In Mini ⁴	
				٥	Impater service using groundwater		Beaution of processor control and	
				Projection About Good over Committeed on 16' 32' E. Lerneb of crips 22' E. Souther Javes belong Size 36' S. Schowle. Bout committee on 16' S.				
				Discriment: The met provides on benefits on the hydrogodop all entiting or national pools; unity or neconstituted the control once detailed necessarious by a particular instrugged particular.				
				Print Gratecour Servet True Season Grace, Deploy, Germany				
				Cathiloging Calls: Mydropolisy od Mas of Nazi Rich 11 (000 332 / A Cost Web, Hi Shoub, W.F. Shoub west gold / Over, Water Million and Good Survey / Whethous, 2001				
			© DWA and GSN 2001					

Hydrogeological map of target area showing inferred karst drainage directions and springs